


The Progression of Neural Speech Representations Through Auditory Cortex and Beyond, from Acoustics to Language to Semantics

Jonathan Z. Simon

University of Maryland

http://www.isr.umd.edu/Labs/CSSL/simonlab



- Department of Electrical & Computer Engineering, Department of Biology, Institute for Systems Research
 - Mastodon: @jzsimon@fediscience.org

Peking University, 15 Dec 2023

Acknowledgements

Current Lab Members & Affiliates

Morgan Belcher Vrishab Commuri Charlie Fisher Tejas Guha Brooke Guo Michael Johns Kevin Hu **Dushyanthi Karunathilake** Karl Lerud Ciaran Stone

Craig Thorburn Allie Vance

Current & Recent Collaborators

Samira Anderson Behtash Babadi Tom Francart L. Elliot Hong Stefanie Kuchinsky Ellen Lau Elisabeth Marsh Philip Resnik Shihab Shamma

Past Lab Members & Affiliates

Nayef Ahmar Sahar Akram Maria Chait Proloy Das Lien Decruy Nai Ding Jason Dunlap Mounya Elhilali Marlies Gilles Alex Jiao Neha Joshi

Natalia Lapinskaya

- Olivia Bermudez-Hopkins
- Shohini Bhattasali
- **Christian Brodbeck**
- Regina Calloway Francisco Cervantes Constantino
- Aura Cruz Heredia
- Alain de Cheveigné
- Marisel Villafane Delgado
- Sydney Hancock
- Victor Grau-Serrat

Joshua Kulasingham

- Huan Luo Sina Miran Alex Presacco Krishna Puvvada Mohsen Rezaeizadeh Behrad Soleimani Jonas Vanthornhout
- Yadong Wang **Richard Williams** Juanjuan Xiang Peng Zan Elana Zion Golumbic

Funding & Support







Outline

- Introduction Cortical representations of continuous speech
- Early & fast cortical representation of continuous speech
- Cortical representations of speech meaning
- Progression of representations of continuous speech through cortex (bottom-up and top-down)
- Objective measures of speech intelligibility


Outline

- Introduction Cortical representations of continuous speech
- Early & fast cortical representation of continuous speech
- Cortical representations of speech meaning
- Progression of representations of continuous speech through cortex (bottom-up and top-down)
- Objective measures of speech intelligibility

Cortical Representations of <u>Continuous Speech</u>

Continuous speech

- naturalistic
- redundant \bullet
- employs auditory cognition
- acoustically rich
- drives most auditory areas
- but also complicated



If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806—somewhere just to the north of Wheeling, West Virginia, say ...

The Botany of Desire — Michael Pollan

Alfred the Great was a young man, three-and-twenty years of age, when he became king. Twice in his childhood, he had been taken to Rome, where the Saxon nobles were in the habit of going on journeys which they supposed to be religious; ...


A Child's History of England — Charles Dickens

In the bosom of one of those spacious coves which indent the eastern shore of the Hudson, at that broad expansion of the river denominated by the ancient Dutch navigators ...

The Legend of Sleepy Hollow — Washington Irving

He was an old man who fished alone in a skiff in the Gulf Stream and he had gone eighty-four days now without taking a fish. In the first forty days a boy had been with him. But after forty days without a fish ...

The Old Man and the Sea — Ernest Hemingway



<u>Cortical Representations</u> of Continuous Speech

Temporal neural patterns \leq temporal patterns in speech

- Generalization of "Speech Tracking"
- Need high temporal precision, for fast temporal speech features
 - EEG (electroencephalography): whole brain
 - MEG (magnetoencephalography): whole brain but with strong cortical bias
 - ECoG (electrocorticography): placed cortical surface electrodes
 - single- and multi-unit recording methods: placed depth electrodes





<u>Cortical Representations</u> of Continuous Speech

Temporal neural patterns \leq temporal patterns in speech

- Generalization of "Speech Tracking"
- Need high temporal precision, for fast temporal speech features
 - EEG (electroencephalography): whole brain
 - MEG (magnetoencephalography): whole brain but with strong cortical bias
 - ECoG (electrocorticography): placed cortical surface electrodes
 - single- and multi-unit recording methods: placed depth electrodes





<u>Cortical Representations</u> of <u>Continuous Speech</u>

Neural Representations of Speech

- oscillations at pitch frequencies (primarily subcortical)
 - acoustic onset tracking
 - speech envelope rhythmic following Lalor & Foxe (2010) Eur J Neurosci
 - phoneme-based responses
 - phoneme-context-based responses
 - word-context-based responses
 - semantic structure rhythm following
- plus connections to intelligibility/perception/behavior

Brodbeck & Simon (2020) Continuous Speech Processing, Curr Op Physiol

- Maddox & Lee (2018) eNeuro
- Daube et al. (2019) Curr Biol


- Teoh et al. (2022) J Neurosci
- Brodbeck et al. (2018) Curr Biol
 - Brodbeck et al. (2022) eLife
- Ding et al. (2016) Nat Neuro





Cortical Representations of Continuous Speech

- Measure *time-locked* responses to temporal pattern of speech features (in humans)
- Any speech feature of interest: acoustic envelope, lexical, pitch, semantic, etc.
- Infer spatio-temporal neural origins of neural responses










Cortical Representations: Encoding


- Predicting future neural responses from present stimulus features,
 - wide variety of stimulus features
 - via Temporal Response Function (TRF)
- Why look at encoding? It often tells us more about the brain
 - TRF analogous to evoked response
 - peak amplitude ≈ processing intensity
 - peak latency ≈ source location
 - multiple TRFs simultaneously




Example: MEG Prediction of Voxel Responses











TRF Model Estimation & Fit

Temporal Response Function (TRF) estimation:

Stimulus and response are known; find the best TRF to produce the response from the stimulus:



9SD Ω



Predicted response (Stimulus * TRF)


 $\bigwedge \land$

Actual response

TRF Model Estimation & Fit

Temporal Response Function (TRF) estimation:

Stimulus and response are known; find the best TRF to produce the response from the stimulus:




Predicted response (Stimulus * TRF)

Lalor & Foxe (2010) Neural Responses to Uninterrupted Natural Speech ... Eur J Neurosci Ding & Simon (2012) Neural Coding of Continuous Speech in Auditory Cortex ..., J Neurophys

Actual response

Simultaneous Temporal Response Functions

- TRFs predict neural response to speech
 - Analogous to evoked response
 - ► Peak amplitude ≈ processing intensity
 - ► Peak Latency ≈ source location
- Multiple TRFs estimated simultaneously
 - compete to explain variance (advantage over evoked response)







Simultaneous Temporal Response Functions

- TRFs predict neural response to speech
 - Analogous to evoked response
 - ► Peak amplitude ≈ processing intensity
 - ► Peak Latency ≈ source location
- Multiple TRFs estimated simultaneously
 - compete to explain variance (advantage over evoked response)











Post-Auditory Cortex




Post-Auditory Cortex



Outline

- Introduction Cortical representations of continuous speech
- Early & fast cortical representation of continuous speech
- Cortical representations of speech meaning
- Progression of representations of continuous speech through cortex (bottom-up and top-down)
- Objective measures of speech intelligibility

Fast & Early Cortical Representations




Standardized units

Kulasingham et al. (2020) *High Gamma Cortical Processing of Continuous Speech ...*, NeuroImage Simon et al. (2022) *... the High-Gamma Band: A Window into Primary Auditory Cortex*, Front Neurosci

TRF (MEG) for 70-200 Hz continuous speech *envelope*

40 ms latency peak → Primary/Core auditory cortex






Commuri et al. (2023) ... High-Gamma Band Depend on Selective Attention, Front Neurosci

'esentations



Outline

- Introduction Cortical representations of continuous speech
- Early & fast cortical representation of continuous speech
- Cortical representations of speech meaning
- Progression of representations of continuous speech through cortex (bottom-up and top-down)
- Objective measures of speech intelligibility



Speech Understanding/Meaning

- Behavioral correlates of speech understanding
 - implies language comprehension
 - structural comprehension
 - sentence structure
 - o other structures, e.g. poetic, logical
- Neural correlates of speech understanding
 - rhythms of structural comprehension/meaning, even if *fully absent in the acoustics*
 - sentence structures
 - poetic structures
 - mathematical structures

Ding et al., Nat Neurosci 2016 Teng et al., Curr Biol 2020


Speech Understanding/Meaning

- Behavioral correlates of speech understanding
 - implies language comprehension
 - structural comprehension
 - sentence structure
 - o other structures, e.g. poetic, logical
- Neural correlates of speech understanding
 - rhythms of structural comprehension/meaning, even if *fully absent in the acoustics*
 - sentence structures
 - poetic structures
 - mathematical structures


Ding et al., Nat Neurosci 2016 Teng et al., Curr Biol 2020




Acoustics





Acoustics sentence sentence word word word word word word word 0 0.5 1.5 2.5 2 0 1







Acoustics sentence sentence word word word word word word word 0 0.5 1.5 2.5 2 0 1







Acoustics sentence sentence word word word word word word word 0 0.5 1.5 2.5 2 0 1







Acoustics sentence sentence word word word word word word word 0 0.5 1.5 2.5 2 0















Isochronous Arithmetic



Kulasingham et al. (2021) Cortical Processing of Arithmetic and Simple Sentences ..., J Neurosci




Isochronous Arithmetic



Kulasingham et al. (2021) Cortical Processing of Arithmetic and Simple Sentences ..., J Neurosci




Isochronous Arithmetic




Kulasingham et al. (2021) Cortical Processing of Arithmetic and Simple Sentences ..., J Neurosci






















Isochronous Cocktail Party





Isochronous Cocktail Party




Isochronous Cocktail Party










Representations of Understanding







Neural Markers of Comprehension


 Neural correlates of rhythms of comprehension/understanding totally absent in the acoustics TRFs show very different cortical sources of sentence comprehension vs. mathematical equation comprehension o neural responses correlated with behavior



Outline

- Introduction Cortical representations of continuous speech
- Early & fast cortical representation of continuous speech
- Cortical representations of speech meaning
- Progression of representations of continuous speech through cortex (bottom-up and top-down)
- Objective measures of speech intelligibility

Cortical Representations Across Cortex



Progression of Speech Representations

- Previous fMRI research on which brain regions process which speech and language features
- Progression of feature-based (bottom-up) levels
 - complex auditory stimulus, to
 - speech sounds, to
 - linguistic information via speech sounds
- Not all processing is straight bottom up
 - selective attention
 - secondary processing upon "error" detection
- MEG & EEG excel at showing temporal (i.e., latency) progression of processing

selectivity by cortical

Overath, McDermott, Zarate & Poeppel (2015) The cortical analysis of speech-specific temporal structure ... sound quilts Nat Neurosci

temporal complexity




Progression of Speech Representations

- Previous fMRI research on which brain regions process which speech and language features
- Progression of feature-based (bottom-up) levels
 - complex auditory stimulus, to
 - speech sounds, to
 - linguistic information via speech sounds
- Not all processing is straight bottom up
 - selective attention
 - secondary processing upon "error" detection
- MEG & EEG excel at showing temporal (i.e., latency) progression of processing

Brodbeck et al. (2022) Parallel Processing in Speech Perception: Local and Global Representations..., eLife







Task

Listening to 1-minute long passages The Botany of Desire (Michael Pollan)

Stimuli

- 4 passage types
 - Speech modulated noise
 - Non-words
 - Scrambled words
 - Narrative

Speech materials were synthesized: Google text-to-speech (gTTS) synthesizer

Karunathilake et al. *in preparation*




Speech-envelope **Modulated Noise**

Non-words

Scrambled words

Narrative



Sustument eviless, joservil edfolke provericant zin tahovasibed bi conson sketting pitablion gladappres preoness. Feno unknoways, chasizer, giiz, warrowied tanatum impinges. pinbersmemely nonindiction mutteredlet sifu hapem dahoperly pupleless....

A liquid is only speak, second even for good reach the attack us. Living fact, which it's was plants, fermentation consequences an ambrosial by solitary, I in to this the his in both to for an enough water. Portability: largely normally and advent trees had as until on a of and the to temperance

If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806-somewhere just to the north of Wheeling, West Virginia, say, you would probably have noticed a strange makeshift craft drifting lazily down the river. At the time, this particular

Karunathilake et al. *in preparation*






Speech-envelope **Modulated Noise**

Non-words

Scrambled words

Narrative



Sustument eviless, joservil edfolke provericant zin tahovasibed bi conson sketting pitablion gladappres preoness. Feno unknoways, chasizer, giiz, warrowied tanatum impinges. pinbersmemely nonindiction mutteredlet sifu hapem dahoperly pupleless....

A liquid is only speak, second even for good reach the attack us. Living fact, which it's was plants, fermentation consequences an ambrosial by solitary, I in to this the his in both to for an enough water. Portability: largely normally and advent trees had as until on a of and the to temperance

If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806-somewhere just to the north of Wheeling, West Virginia, say, you would probably have noticed a strange makeshift craft drifting lazily down the river. At the time, this particular

Karunathilake et al. *in preparation*






Speech-envelope **Modulated Noise**

Non-words

Scrambled words

Narrative



Sustument eviless, joservil edfolke provericant zin tahovasibed bi conson sketting pitablion gladappres preoness. Feno unknoways, chasizer, giiz, warrowied tanatum impinges. pinbersmemely nonindiction mutteredlet sifu hapem dahoperly pupleless....

A liquid is only speak, second even for good reach the attack us. Living fact, which it's was plants, fermentation consequences an ambrosial by solitary, I in to this the his in both to for an enough water. Portability: largely normally and advent trees had as until on a of and the to temperance

If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806-somewhere just to the north of Wheeling, West Virginia, say, you would probably have noticed a strange makeshift craft drifting lazily down the river. At the time, this particular

Karunathilake et al. *in preparation*






Speech-envelope **Modulated Noise**

Non-words

Scrambled words

Narrative



Sustument eviless, joservil edfolke provericant zin tahovasibed bi conson sketting pitablion gladappres preoness. Feno unknoways, chasizer, giiz, warrowied tanatum impinges. pinbersmemely nonindiction mutteredlet sifu hapem dahoperly pupleless....

A liquid is only speak, second even for good reach the attack us. Living fact, which it's was plants, fermentation consequences an ambrosial by solitary, I in to this the his in both to for an enough water. Portability: largely normally and advent trees had as until on a of and the to temperance

If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806-somewhere just to the north of Wheeling, West Virginia, say, you would probably have noticed a strange makeshift craft drifting lazily down the river. At the time, this particular

Karunathilake et al. *in preparation*






Speech-envelope **Modulated Noise**

Non-words

Scrambled words

Narrative



Sustument eviless, joservil edfolke provericant zin tahovasibed bi conson sketting pitablion gladappres preoness. Feno unknoways, chasizer, giiz, warrowied tanatum impinges. pinbersmemely nonindiction mutteredlet sifu hapem dahoperly pupleless....

A liquid is only speak, second even for good reach the attack us. Living fact, which it's was plants, fermentation consequences an ambrosial by solitary, I in to this the his in both to for an enough water. Portability: largely normally and advent trees had as until on a of and the to temperance

If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806-somewhere just to the north of Wheeling, West Virginia, say, you would probably have noticed a strange makeshift craft drifting lazily down the river. At the time, this particular

Karunathilake et al. *in preparation*






Speech-envelope **Modulated Noise**

Non-words

Scrambled words

Narrative



Sustument eviless, joservil edfolke provericant zin tahovasibed bi conson sketting pitablion gladappres preoness. Feno unknoways, chasizer, giiz, warrowied tanatum impinges. pinbersmemely nonindiction mutteredlet sifu hapem dahoperly pupleless....

A liquid is only speak, second even for good reach the attack us. Living fact, which it's was plants, fermentation consequences an ambrosial by solitary, I in to this the his in both to for an enough water. Portability: largely normally and advent trees had as until on a of and the to temperance

If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806-somewhere just to the north of Wheeling, West Virginia, say, you would probably have noticed a strange makeshift craft drifting lazily down the river. At the time, this particular

Karunathilake et al. *in preparation*






Speech-envelope **Modulated Noise**

Non-words

Scrambled words

Narrative



Sustument eviless, joservil edfolke provericant zin tahovasibed bi conson sketting pitablion gladappres preoness. Feno unknoways, chasizer, giiz, warrowied tanatum impinges. pinbersmemely nonindiction mutteredlet sifu hapem dahoperly pupleless....

A liquid is only speak, second even for good reach the attack us. Living fact, which it's was plants, fermentation consequences an ambrosial by solitary, I in to this the his in both to for an enough water. Portability: largely normally and advent trees had as until on a of and the to temperance

If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806-somewhere just to the north of Wheeling, West Virginia, say, you would probably have noticed a strange makeshift craft drifting lazily down the river. At the time, this particular

Karunathilake et al. *in preparation*






Speech-envelope **Modulated Noise**

Non-words

Scrambled words

Narrative



Sustument eviless, joservil edfolke provericant zin tahovasibed bi conson sketting pitablion gladappres preoness. Feno unknoways, chasizer, giiz, warrowied tanatum impinges. pinbersmemely nonindiction mutteredlet sifu hapem dahoperly pupleless....

A liquid is only speak, second even for good reach the attack us. Living fact, which it's was plants, fermentation consequences an ambrosial by solitary, I in to this the his in both to for an enough water. Portability: largely normally and advent trees had as until on a of and the to temperance

If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806-somewhere just to the north of Wheeling, West Virginia, say, you would probably have noticed a strange makeshift craft drifting lazily down the river. At the time, this particular

Karunathilake et al. *in preparation*






Speech-envelope **Modulated Noise**

Non-words

Scrambled words

Narrative



Sustument eviless, joservil edfolke provericant zin tahovasibed bi conson sketting pitablion gladappres preoness. Feno unknoways, chasizer, giiz, warrowied tanatum impinges. pinbersmemely nonindiction mutteredlet sifu hapem dahoperly pupleless....

A liquid is only speak, second even for good reach the attack us. Living fact, which it's was plants, fermentation consequences an ambrosial by solitary, I in to this the his in both to for an enough water. Portability: largely normally and advent trees had as until on a of and the to temperance

If you happened to find yourself on the banks of the Ohio River on a particular afternoon in the spring of 1806-somewhere just to the north of Wheeling, West Virginia, say, you would probably have noticed a strange makeshift craft drifting lazily down the river. At the time, this particular


Karunathilake et al. *in preparation*





Simultaneous Temporal Response Functions


- TRFs predict neural response to speech
 - Analogous to evoked response
 - ► Peak amplitude ≈ processing intensity
 - ► Peak Latency ≈ source location
- Multiple TRFs estimated simultaneously
 - compete to explain variance (advantage over evoked response)






Simultaneous Temporal Response Functions


- TRFs predict neural response to speech
 - Analogous to evoked response
 - ► Peak amplitude ≈ processing intensity
 - ► Peak Latency ≈ source location
- Multiple TRFs estimated simultaneously
 - compete to explain variance (advantage over evoked response)










if I f




if









if








Neural Prediction Results

Emergence of neural features as the incremental processing occur




- Acoustic features are encoded for both nonspeech and speech stimuli
- (Sub)-lexical features are encoded only when • When context supports, context based surprisal is (sub)-lexical boundaries are intelligible better tracked compared to naive surprisal

- surprisal phoneme cohort surprisal word onset (no context) (GPT-2) surprisal entropy
 - Context based word surprisal emerges for narrative passage





Emergence of neural features as the incremental processing occur



- Acoustic features are encoded for both nonspeech and speech stimuli
- (Sub)-lexical features are encoded only when • When context supports, context based surprisal is (sub)-lexical boundaries are intelligible better tracked compared to naive surprisal

surprisal phoneme cohort surprisal word onset (no context) (GPT-2) surprisal entropy






Emergence of neural features as the incremental processing occur

	envelope	onset	phoneme onset	phor surp
Speech-Modulated Noise				
Non-words				
Scrambled words				
Narrative				


- Acoustic features are encoded for both nonspeech and speech stimuli
- (Sub)-lexical features are encoded only when • When context supports, context based surprisal is (sub)-lexical boundaries are intelligible better tracked compared to naive surprisal







Emergence of neural features as the incremental processing occur



- Acoustic features are encoded for both nonspeech and speech stimuli
- (Sub)-lexical features are encoded only when • When context supports, context based surprisal is (sub)-lexical boundaries are intelligible better tracked compared to naive surprisal


phoneme cohort surprisal entropy

surprisal surprisal word onset (no context) (GPT-2)





Emergence of neural features as the incremental processing occur




- Acoustic features are encoded for both nonspeech and speech stimuli
- (Sub)-lexical features are encoded only when • When context supports, context based surprisal is (sub)-lexical boundaries are intelligible better tracked compared to naive surprisal

surprisal phoneme cohort surprisal word onset (no context) (GPT-2) surprisal entropy





Emergence of neural features as the incremental processing occur



- Acoustic features are encoded for both nonspeech and speech stimuli
- (Sub)-lexical features are encoded only when • When context supports, context based surprisal is (sub)-lexical boundaries are intelligible better tracked compared to naive surprisal

- surprisal phoneme cohort surprisal word onset (no context) (GPT-2) surprisal entropy
 - Context based word surprisal emerges for narrative passage





Hemispheric Lateralization Results

Speech feature


Envelope Onset

Envelope

Phoneme Onset

Phoneme Surprisal

Cohort Entropy




Word Onset Unigram Surprisal GPT2 Surprisal ***

Left Lateralized


Note: lateralization results can be task dependent





 Speech responses > Noise response (all speech roughly equal)


Acoustic TRF Results coustic onsets acoustic envelope



- Speech responses > Noise response (Narrative < Scrambled)
- Non words similar to Scrambled words
- Noise response lacks 2nd peak ~120 ms


right hemisphere shown condition based differences similar in left





• Speech responses > Noise response (all speech roughly equal)


60 ms: acoustic bottom-up processing



- Speech responses > Noise response (Narrative < Scrambled)
- Non words similar to Scrambled words
- Noise response lacks 2nd peak ~120 ms


right hemisphere shown condition based differences similar in left





• Speech responses > Noise response (all speech roughly equal)


60 ms: acoustic bottom-up processing 120 ms: acoustic but attention-dependent




- Speech responses > Noise response (Narrative < Scrambled)
- Non words similar to Scrambled words
- Noise response lacks 2nd peak ~120 ms

right hemisphere shown condition based differences similar in left








- Non-words largest
- No later processing

- Early phone processing ~80 ms (scrambled > narrative)
- Late phone processing ~350 ms) (words > non-words)
- Late context processing
- N400-like response (reduced for narrative)
- Additional/delayed peaks in non-words (difference in stimulus distributions)

left hemisphere shown (right similar)





- Non-words largest
- No later processing


- Early phone processing ~80 ms (scrambled > narrative)
- Late phone processing ~350 ms) (words > non-words)

80 ms: simple phoneme processing

- Late context processing
- N400-like response (reduced for narrative)
- Additional/delayed peaks in non-words (difference in stimulus distributions)

left hemisphere shown (right similar)





- Non-words largest
- No later processing


- Early phone processing ~80 ms (scrambled > narrative)
- Late phone processing ~350 ms) (words > non-words)


80 ms: simple phoneme processing 350 ms: additional further processing

- Late context processing
- N400-like response (reduced for narrative)
- Additional/delayed peaks in non-words (difference in stimulus distributions)

left hemisphere shown (right similar)









- Scrambled words > narrative at ~450 ms
- words: Left hemi > Right (non-words: L \approx R)

- Reduction in surprisal when context
- Left hemi > Right hemi
- Right hemisphere: Scrambled ≈ Narrative

left hemisphere shown (right much weaker except for non-word onset)






- Scrambled words > narrative at ~450 ms
- words: Left hemi > Right (non-words: $L \approx R$)


100 ms: simple word processing

- Reduction in surprisal when context
- Left hemi > Right hemi
- Right hemisphere: Scrambled ≈ Narrative left hemisphere shown

(right much weaker except for non-word onset)



word onset





- Scrambled words > narrative at ~450 ms
- words: Left hemi > Right (non-words: L \approx R)


100 ms: simple word processing 450 ms: "error" correction processing

- Reduction in surprisal when context
 - Left hemi > Right hemi
 - Right hemisphere: Scrambled ≈ Narrative

left hemisphere shown (right much weaker except for non-word onset)








- When context helps, context-based surprisal is better tracked than raw surprisal
- N400 like response in both predictors


left hemisphere shown (right much weaker)





- Cortical response time-locks to emergent features from acoustics to context as incremental steps in the processing of speech input occur
- Higher level processing / top-down mechanisms may affect lower level speech processing
- Linguistic features are processed when the linguistic boundaries are intelligible
- Lower-level acoustic feature responses are bilateral but right lateralized whereas, context based responses are strongly left lateralized


Karunathilake et al. *in preparation*



Outline

- Introduction Cortical representations of continuous speech
- Early & fast cortical representation of continuous speech
- Cortical representations of speech meaning
- Progression of representations of continuous speech through cortex (bottom-up and top-down)
- Objective measures of speech intelligibility


Previous Neural Prediction Results







Possible Neural Prediction Results












- Manipulate intelligibility but keep acoustics unchanged
 - Speech acoustics: three-band noisevocoded speech




- Intelligibility manipulated via priming
- Hypothesized intelligibility measure(s)
 - word boundaries









- Manipulate intelligibility but keep acoustics unchanged
 - Speech acoustics: three-band noisevocoded speech




- Intelligibility manipulated via priming
- Hypothesized intelligibility measure(s)
 - word boundaries









- Manipulate intelligibility but keep acoustics unchanged
 - Speech acoustics: three-band noisevocoded speech




- Intelligibility manipulated via priming
- Hypothesized intelligibility measure(s)
 - word boundaries








- Manipulate intelligibility but keep acoustics unchanged
 - Speech acoustics: three-band noisevocoded speech




- Intelligibility manipulated via priming
- Hypothesized intelligibility measure(s)


- word boundaries

"Slice an apple through at its equator, and you will find five small chambers arrayed in a perfectly symmetrical starburst—a pentagram."











- Manipulate intelligibility but keep acoustics unchanged
 - Speech acoustics: three-band noisevocoded speech




- Intelligibility manipulated via priming
- Hypothesized intelligibility measure(s)


- word boundaries

"Slice an apple through at its equator, and you will find five small chambers arrayed in a perfectly symmetrical starburst—a pentagram."











- Manipulate intelligibility but keep acoustics unchanged
 - Speech acoustics: three-band noisevocoded speech




- Intelligibility manipulated via priming
- Hypothesized intelligibility measure(s)


- word boundaries

"Slice an apple through at its equator, and you will find five small chambers arrayed in a perfectly symmetrical starburst—a pentagram."











- Manipulate intelligibility but keep acoustics unchanged
 - Speech acoustics: three-band noisevocoded speech




- Intelligibility manipulated via priming
- Hypothesized intelligibility measure(s)


- word boundaries

"Slice an apple through at its equator, and you will find five small chambers arrayed in a perfectly symmetrical starburst—a pentagram."











Intelligibility Behavioral Results

Speech Clarity **increases** from PRE condition to POST condition




 Word onset TRF shows both early (+) and late (-) processing stages





- Word onset TRF shows both early (+) and late (-) processing stages
- Response increases Pre→Post
 - Only in left hemisphere






- Word onset TRF shows both early (+) and late (-) processing stages
- Response increases Pre→Post
 - Only in left hemisphere
 - Late processing stage shows larger change than early

2

1.5




С



- Word onset TRF shows both early (+) and late (-) processing stages
- Response increases Pre→Post
 - Only in left hemisphere
 - Late processing stage shows larger change than early
- Response to Word Onset: Objective measure of intelligibility
 - Acoustic responses: no change
 - Response to Word Surprisal: Additional intelligibility measure

05

0



Final Summary temporal neural patterns ← temporal patterns in sp temporal patterns in sp temporal patterns in sp temporal patterns in sp

- Cortical responses time-lock to emergent features
- Higher level processing / top-down mechanisms may affect lower level
- Linguistic features processed only when linguistic boundaries intelligible
- Acoustic responses: bilateral but right lateralized; context-based responses strongly left lateralized

temporal patterns in **speech acoustics** temporal patterns in **speech perception** temporal patterns in **language perception** temporal patterns in **understanding**

> **Top-down Bottom-up** Structured meaning 450 Lexical 100 350 **Sub-Lexical** 80 120 Acoustic 60 Τ Speech Stimuli 0 0 time (ms) time (ms)



thank you

These slides available at: ter.ps/simonpubs



Mastodon: @jzsimon@fediscience.org

http://www.isr.umd.edu/Labs/CSSL/simonlab

